

REFERENCES

1. Singh S, Ali MJ. A review of diagnostic and therapeutic dacryocystitis. *Ophthalmic Plast Reconstr Surg* 2019;35:519–524.
2. Garbe J, Eisenmann S, Walter S, et al. German endoscopy unit preparations for the COVID-19 pandemic: a nationwide survey. *Gastroenterology* 2020.
3. Zou L, Ruan F, Huang M, et al. SARS-CoV-2 viral load in upper respiratory specimens of infected patients. *N Engl J Med* 2020;382:1177–1179.
4. De Luca P, Scarpa A, Ralli M, et al. Nasal, pharyngeal and laryngeal endoscopy procedures during COVID-19 pandemic: available recommendations from national and international societies. *Eur Arch Otorhinolaryngol* 2020;1–3. [Epub ahead of print].
5. Lisotti A, Fusaroli P. EUS-guided gallbladder drainage during a pandemic crisis – how the COVID-19 outbreak could impact interventional endoscopy. *Dig Liver Dis* 2020.
6. van Doremalen N, Bushmaker T, Morris DH, et al. Aerosol and surface stability of SARS-CoV-2 as compared with SARS-CoV-1. *N Engl J Med* 2020;382:1564–1567.
7. Kampf G, Todt D, Pfaender S, et al. Persistence of coronaviruses on inanimate surfaces and their inactivation with biocidal agents. *J Hosp Infect* 2020;104:246–251.